SHIFTING LARGE-SOLIDS HANDLING TO A WHOLE NEW LEVEL.

Introducing the world's most energy-efficient large-solids handling pump in its class. Period.



- Best-in-class energy-efficient Air Distribution System (ADS)
- Up to 60% Savings in air consumption over competitive AODD pump technologies means greater yield per SCFM used
- Ease of maintenance with fewest ADS parts in the industry
- · Rugged design excels in transferring slurries with large solids in the toughest environments
- Submersible with no electronic parts

See the proof at profloshift.com/proof

Simple. Reliable. Efficient. And now, ready for large solids and slurries.

The Wilden Pro-Flo[®] SHIFT Air Distribution System (ADS) offers sustainable value by providing the most efficient pump in its class. The patent-pending Pro-Flo SHIFT Air Control Spool automatically adjusts to varying system parameters to reduce energy consumption by eliminating over-filling of the air chamber. Best of all, Pro-Flo SHIFT is easy to use... just "Plug, Pump, and Save."

WILDE





Designed to easily handle slurries with large solids in the toughest applications, the revolutionary Pro-Flo SHIFT offers unmatched efficiency and the fastest return on investment. The Wilden Pro-Flo SHIFT optimizes AODD pump efficiency while maximizing product yield by addressing a number of crucial areas of performance, including:

| Pro-Flo SHIFT Model | Inlet/ Discharge | Max Discharge Pressure | Max Solids Size | Max Suction Lift | Max Flow |
|------------------------|---------------------|---------------------------|-----------------|--|-------------------|
| PS810 Brahma | 51 mm (2") | 8.6 bar (125 psig) | 51 mm (2") | 7.4 m (24.3′) Dry 9.0 m (29.5′) Wet | 640 lpm (169 gpm) |
| PS1510 Brahma | 76 mm (3") | 8.6 bar (125 psig) | 76 mm (3″) | 7.1 m (23.3') Dry 9.0 m (29.5') Wet | 882 lpm (233 gpm) |





















22069 Van Buren Street, Grand Terrace, CA 92313-5651 Telephone 909-422-1730 • Fax 909-783-3440 wildenpump.com